

INDEX

RUBBER CHEMISTRY AND TECHNOLOGY

VOLUME 41, 1968

AUTHOR INDEX

- ALLBERT, B. J., see HORNE, W. B., (4) 807
 —, AND J. C. WALKER, Tire to wet road friction at high speeds, (4) 753
 ANDERSON, J. N., see WEISSERT, F. C., (5) 1390
 ARENZON, N. M., see EVSTRATOV, V. F., (3) 685
 ARNOLD, R. G., C. C. McCABE, AND J. J. VERRANC, A research assessment of α -olefin copolymers in tires (Abstract), (4) 1097
 ARON, J., see RIVIN, D., (2) 330
 ASAM, E. H., AND K. G. ROQUEMORE, Computer programmed designed experiments for compounders (Abstract), (3) 756
 ASTI, F. J., AND A. L. O'MEARA, Isocyanate modified neoprene latex foams (Abstract), (5) 1381
 AVELLA, E. R., I. T. CLEMENT, B. E. ELY, JR., AND A. TUNO, A new type over expanded rubber (Abstract), (3) 765
 BAKULE, R., see HAVRANEK, A., (5) 1249
 BAN, L. L., see HESS, W. M., (2) 356
 BARANWAL, K., AND H. L. JACOBS, Effect of mastication on molecular weight and molecular weight distribution of EPDM polymer and SBR (Abstract), (5) 1392
 BARBIN, W. W., see WEISSERT, F. C., (5) 1390
 BARRIE, J. A., AND J. STANDEN, Thermoelastic measurements on some elastomers, (5) 1148
 BASTI, A. C., Rubber abrasion test with paper tape, (4) 1022
 BEATTY, J. R., see STUDEBAKER, M. L., (5) 1383
 —, see TRIVISONNO, N. M., (4) 953
 BEHNEY, D. F., Report of the Past Chairman, (2) G2
 BEKKEDAH, N., see WOOD, L. A., (3) 564
 BENOIT, H., see REMPP, P., (1) 245
 BERRY, G. C., see CASASSA, E. F., (2) 437
 BERTOZZI, E. R., Chemistry and technology of elastomeric polysulfide polymers (Review), (1) 114
 BEVILACQUA, E. M., AND E. P. PERCARPIO, Lubricated friction of rubber. I. Introduction, (4) 832
 —, Lubricated friction of rubber. VII. Notes on a standard tire and procedure for skid testing, (4) 890
 —, see PERCARPIO, E. P., (4) 843, 854, 862, 870, 881
 BHAKUNI, R. S., G. W. RYE, AND A. PHIRMA, Structural changes during processing of polyester tire cord (Abstract), (3) 768
 —, see RYE, G. W., (4) 1103
 BICKEL, F. W., see GATZA, P. E., (3) 767
 BOHN, L., Incompatibility and phase formation in solid polymer mixtures and graft and block copolymers, (2) 495
 BONOMI, G., see FIORENZA, A., (3) 630
 BOONSTRA, B. B., see RUGBI, Z., (3) 752
 BRADFORD, E. B., AND J. W. VANDERHOFF, Morphological changes in latex films, (2) 514
 BRISTOL, K. E., see SINCLAIR, E. A., (3) 766
 BROWN, W. J., J. A. SHEDDEN, AND I. M. WHATE, The influence of crosslinking a butyl polymer on dynamic rheological and physical properties (Abstract), (3) 758
 BSARAH, LEWIS, see MAY, WALTER R., (5) 1392
 BUCHANAN, R. A., C. R. RUSSELL, AND C. E. RIST, Starch in rubber. Reinforcement of rubber by starch resorcinol formaldehyde resin (Abstract), (5) 1380
 —, O. E. WEISLOGEL, C. R. RUSSELL, AND C. E. RIST, Starch in rubber. I. Zinc starch xanthate in latex masterbatching (Abstract), (3) 764
 BUIKO, G. N., see EVSTRATOV, V. F., (3) 685
 BUNKER, M., see HORNE, W. B., (4) 807
 BURGESS, K. A., see VANCE, R. M., (4) 1080
 CALDERON, N., E. A. OSTEAD, AND W. A. JUDY, Ring opening polymerization of unsaturated alicyclic compounds (Abstract), (3) 759
 CALLAHAN, D. M., see RYE, G. W., (4) 1103
 CASASSA, E. F., AND G. C. BERRY, Angular distribution of intensity of Rayleigh scattering from comblike branched molecules, (2) 437
 CAVICCHIA, M. A., see SARACH, D. V., (3) 766
 CHEN, H. Y., Application of high resolution nuclear magnetic resonance spectroscopy to elastomers in solution (Review), (1) 47
 CHILDERS, C. W., see ZELINSKI, R., (1) 161
 CHIRICO, V., see HESS, W. M., (2) 356
 CLAMROTH, E., AND W. HEIDEMANN, Measurement of rolling and sliding friction coefficients of tread compounds, (4) 908

INDEX

RUBBER CHEMISTRY AND TECHNOLOGY

VOLUME 41, 1968

AUTHOR INDEX

- ALLBERT, B. J., see HORNE, W. B., (4) 807
 —, AND J. C. WALKER, Tire to wet road friction at high speeds, (4) 753
 ANDERSON, J. N., see WEISSERT, F. C., (5) 1390
 ARENZON, N. M., see EVSTRATOV, V. F., (3) 685
 ARNOLD, R. G., C. C. McCABE, AND J. J. VERRANC, A research assessment of α -olefin copolymers in tires (Abstract), (4) 1097
 ARON, J., see RIVIN, D., (2) 330
 ASAM, E. H., AND K. G. ROQUEMORE, Computer programmed designed experiments for compounders (Abstract), (3) 756
 ASTI, F. J., AND A. L. O'MEARA, Isocyanate modified neoprene latex foams (Abstract), (5) 1381
 AVELLA, E. R., I. T. CLEMENT, B. E. ELY, JR., AND A. TUNO, A new type over expanded rubber (Abstract), (3) 765
 BAKULE, R., see HAVRANEK, A., (5) 1249
 BAN, L. L., see HESS, W. M., (2) 356
 BARANWAL, K., AND H. L. JACOBS, Effect of mastication on molecular weight and molecular weight distribution of EPDM polymer and SBR (Abstract), (5) 1392
 BARBIN, W. W., see WEISSERT, F. C., (5) 1390
 BARRIE, J. A., AND J. STANDEN, Thermoelastic measurements on some elastomers, (5) 1148
 BASSI, A. C., Rubber abrasion test with paper tape, (4) 1022
 BEATTY, J. R., see STUDEBAKER, M. L., (5) 1383
 —, see TRIVISONNO, N. M., (4) 953
 BEHNEY, D. F., Report of the Past Chairman, (2) G2
 BEKKEDAHL, N., see WOOD, L. A., (3) 564
 BENOIT, H., see REMPP, P., (1) 245
 BERRY, G. C., see CASASSA, E. F., (2) 437
 BERTOZZI, E. R., Chemistry and technology of elastomeric polysulfide polymers (Review), (1) 114
 BEVILACQUA, E. M., AND E. P. PERCARPIO, Lubricated friction of rubber. I. Introduction, (4) 832
 —, Lubricated friction of rubber. VII. Notes on a standard tire and procedure for skid testing, (4) 890
 —, see PERCARPIO, E. P., (4) 843, 854, 862, 870, 881
 BHAKUNI, R. S., G. W. RYE, AND A. PHIRMA, Structural changes during processing of polyester tire cord (Abstract), (3) 768
 —, see RYE, G. W., (4) 1103
 BICKEL, F. W., see GATZA, P. E., (3) 767
 BOHN, L., Incompatibility and phase formation in solid polymer mixtures and graft and block copolymers, (2) 495
 BONOMI, G., see FIORENZA, A., (3) 630
 BOONSTRA, B. B., see RUGBI, Z., (3) 752
 BRADFORD, E. B., AND J. W. VANDERHOFF, Morphological changes in latex films, (2) 514
 BRISTOL, K. E., see SINCLAIR, E. A., (3) 766
 BROWN, W. J., J. A. SHEDDEN, AND I. M. WHATE, The influence of crosslinking a butyl polymer on dynamic rheological and physical properties (Abstract), (3) 758
 BSARAH, LEWIS, see MAY, WALTER R., (5) 1392
 BUCHANAN, R. A., C. R. RUSSELL, AND C. E. RIST, Starch in rubber. Reinforcement of rubber by starch resorcinol formaldehyde resin (Abstract), (5) 1380
 —, O. E. WEISLOGEL, C. R. RUSSELL, AND C. E. RIST, Starch in rubber. I. Zinc starch xanthate in latex masterbatching (Abstract), (3) 764
 BUIKO, G. N., see EVSTRATOV, V. F., (3) 685
 BUNKER, M., see HORNE, W. B., (4) 807
 BURGESS, K. A., see VANCE, R. M., (4) 1080
 CALDERON, N., E. A. OSTEAD, AND W. A. JUDY, Ring opening polymerization of unsaturated alicyclic compounds (Abstract), (3) 759
 CALLAHAN, D. M., see RYE, G. W., (4) 1103
 CASASSA, E. F., AND G. C. BERRY, Angular distribution of intensity of Rayleigh scattering from comblike branched molecules, (2) 437
 CAVICCHIA, M. A., see SARACH, D. V., (3) 766
 CHEN, H. Y., Application of high resolution nuclear magnetic resonance spectroscopy to elastomers in solution (Review), (1) 47
 CHILDERS, C. W., see ZELINSKI, R., (1) 161
 CHIRICO, V., see HESS, W. M., (2) 356
 CLAMROTH, E., AND W. HEIDEMANN, Measurement of rolling and sliding friction coefficients of tread compounds, (4) 908

- CLARKE, R. E., see CLAXTON, W. E., (1) 86
 CLAXTON, W. E., D. PEARSON, R. E. CLARKE, AND F. S. CONANT, Role of computers in elastomer research (Review), (1) 86
 CLEMENT, I. T., see AVELLA, E. R., (3) 765
 CONANT, F. S., see CLAXTON, W. E., (1) 86
 COOK, F. R., see VOET, A., (5) 1207, 1215
 COOK, W. S., see OBERSTER, A. E., (2) 255
 COOPER, LLOYD C., Predicting agricultural tire performance (Abstract), (3) 756
 CREASEY, J., D. DERRINGER, M. FETTERMAN, AND M. WAGNER, Particle size and structure in reinforcing silicas (Abstract), (5) 1388
 —, see RUSSELL, D., (5) 1300
 CUNNEEN, J. I., Oxidative aging of natural rubber (Review), (1) 182
 DAGUE, M. F., see O'NEIL, K. B., (4) 1042
 D'AMICO, J. J., E. MORITA, AND E. J. YOUNG, Rubber chemicals from cyclic amines. I. Preparation of dithioamides, derivatives of dithiocarbamates and thiazoethiols, and related compounds, (3) 704
 D'AMICO, J. J., see MORITA, E., (3) 721, 736
 DAVIES, J. R., Thin-layer chromatographic method to distinguish natural rubber and synthetic polyisoprene, (3) 658
 DAVIDSON, L. S., Meeting papers Abstracts, (3) 752, (5) 1374
 —, Advances in tire technology: Abstracts, (4) 1087
 DERRINGER, G., see CREASEY, J., (5) 1388
 DEVINEY, M. L., JR., AND L. E. WHITTINGTON, Radiotracer studies of carbon black surface interactions with organic systems. I. Experimental approach and initial results from chemisorption and vinyl polymerization studies, (2) 382
 DOBIE, W. J., Demographic study of tire hazard failures, (4) 1074
 DOGADKIN, B. A., A. V. IGUMNOVA, AND V. N. KULEZNEV, Separation of molecules with linear and branched structures in natural and styrene butadiene rubbers, (3) 626
 DOLE-ROBBE, JEAN PIERRE, Normal freezing of solutions of isobutylene polymers and copolymers, (5) 1288
 DOLLINGER, R. E., see HENDERSON, E. W., (5) 1387
 DOZORTSEV, M. S., V. A. SAPHONOV, AND M. M. REZNIKOVSKII, Determination of state of cure of rubber-cord elements of automobile tires, (5) 1371
 DRUDING, D. I., Testing and reliability of rubber products (Abstract), (3) 755
 DUBRUYNÉ, E., see MAESELE, A., (5) 1374
 DUNN, J. R., Influence of sulfur on stability and physical properties of peroxide vulcanized ethylene propylene copolymers, (2) 304
 —, see EMBREE, W. H., (3) 759
 DZHAGAROVA, E. K., see NATOV, M. A., (5) 1348
 ECKERT, F. J., see HESS, W. M., (2) 356
 EGGER, K., see MAYO, F. R., (2) 271
 ELY, B. E., JR., see AVELLA, E. R., (3) 765
 EMBREE, W. H., AND J. R. DUNN, The use of a cure meter for quality control of synthetic rubber production (Abstract), (3) 759
 EPISEVA, S. N., see RAEVSKII, V. G., (3) 601
 EPSHTEIN, V. G., see NIKITIN, YU. N., (3) 621
 EVSTRATOV, V. F., G. N. BUIKO, N. L. SAKHUVOSKII, N. M. ARENZON, AND A. I. KARMANOVA, Abrasion resistance of stereoregular butadiene rubber treads as a function of tire operating conditions, (3) 685
 FEDOSEEVA, T. S., see KVASHENKO, YU. YU., (3) 653
 FETTERMAN, M., see CREASEY, J., (5) 1388
 FIORENTA, A., G. BONOMI, AND A. SAREDI, Identification of antioxidants, accelerators and plasticizers in rubber compounds by column chromatography and ultraviolet and infrared spectrophotometry, (3) 630
 FIRESTONE, R. C., Today's tires—tomorrow's technology (Abstract), (5) 1374
 FLORY, P. J., Molecular interpretation of rubber elasticity (Charles Goodyear Medal Address—1968), (4) G41
 —, see MARK, J. E., (5) 1140
 FRAZER, D. G., see JORGENSEN, A. H., (3) 769
 FRAZIER, J. R., see WEISSERT, F. C., (5) 1390
 FRENCH, T., Advances in wet tire traction, (4) 1100
 FRENDSORFF, H. K., Vulcanization of an ethylene propylene diene rubber, (2) 316
 FRUMKIN, L. S., see YAGNYATINSKAYA, S. M., (5) 1244
 FUJIMOTO, K., AND N. YOSHIMIYA, Blends of *Cis*-1,4-polybutadiene with natural or styrene butadiene rubber, (3) 669
 FUJIMOTO, K., AND N. YOSHIMURA, Study of polymer blends. II. Blending SBR varying in styrene content with polybutadiene, (5) 1109
 GARDINER, J. B., Curative diffusion between dissimilar elastomers and its influence on adhesion, (5) 1312
 GATZA, P. E., PHILIP MITTON, F. W. BICKEL, AND M. W. STOTZ, Evaluation of fuel resistant elastomers for low temperature applications (Abstract), (3) 767
 GEHMAN, S. D., Calculated deflected contours and load-deflection curves for tires, (4) 977
 —, Elasticity theory for indentation of a rubber plate, (5) 1122
 GENT, A. N., AND H. HIRAKAWA, Effect of temperature on ozone in cracking of butyl rubbers, (5) 1294
 —, AND V. V. VICKROY, Elastic behavior, birefringence, and swelling of amorphous polynetworks (5) 1182
 GILES, C. W., see HORNE, W. B., (4) 807
 GONZALES, J., see KAUFMAN, M. H., (2) 527
 GOODSTEIN, S. J., see YOUNG, D. G., (5) 1395
 GOUGH, V. E., Stiffness of cord and rubber constructions, (4) 988
 —, see HORNE, W. B., (4) 807

- GROSCH, K. A., J. A. C. HARWOOD, AND A. R. PAYNE, Hysteresis in polymers and its relation to strength, (5) 1157
 —, AND G. MAYCOCK, Influence of test conditions on wet skid resistance of tire tread compounds, (2) 477
 GRUVER, J. T., see KRAUS, GERARD, (5) 1256
 GUDKOVA, L. S., see TORNER, R. V., (5) 1354
 HALLMAN, R. W., see SARBACH, D. V., (3) 766
 HALPIN, J. C., AND H. W. POLLEY, Observations on fracture of viscoelastic bodies, (5) 1168
 HANMER, R. S., AND J. R. HAWS, Solution SBR in tires (Abstract), (5) 1376
 HARRIS, A. J., see HORNE, W. B., (4) 807
 HARWOOD, J. A. C., see GROSCH, K. A., (5) 1157
 HASSAN, A. M., AND L. N. RAY, JR., Characterization of EPR and EPT networks (Abstract), (5) 1388
 HAVRANEK, A., AND R. BAKULE, Comparison of viscoelastic and dielectric properties of natural rubber and sulfur systems, (5) 1249
 HAWS, J. R., see HANMER, R. S., (5) 1376
 HEALY, J. C., see MORTON, M., (3) 773
 HEIDEMANN, W., see CLAMROTH, E., (4) 908
 HELLER, J., see MAYO, F. R., (2) 289
 HELMS, P. E., see KOVAC, F. J., (4) 1089
 HENDERSON, E. W., R. E. DOLLINGER, AND E. F. ROSS, A new low pH, low structure, oil furnace black (Abstract), (5) 1387
 HESS, W. M., L. L. BAY, F. J. ECKERT, AND V. CHIRICO, Microstructural variations in commercial carbon blacks, (2) 356
 —, see MICEK, E., (3) 753, (5) 1271
 HIRAKAWA, H., see GENT, A. N., (5) 1294
 HOPKINS, P., AND T. J. LEO, Prediction of the reliability of rubber hose (Abstract), (3) 753
 HORNE, W. B., M. BUNKER, A. J. HARRIS, C. G. GILES, R. D. LISTER, B. SHILLING, R. A. WILSON-JONES, T. Z. MAREK, V. E. GOUGH, D. TABOR, D. F. MOORE, B. J. ALLBERT, J. C. WALKER, AND G. MAYCOCK, Discussion. (Of papers by B. J. Allbert and J. C. Walker and by G. Maycock on friction of rubber on wet surfaces), (4) 807
 HORNUNG, K. G., see JOHNSON, C. O., (3) 754
 HORVATH, J. V., W. A. WILSON, H. S. LUNDSTROM, AND J. R. FURDON, Investigation of factors influencing physical properties of NBR/PVC blends (Abstract), (3) 770
 IOUMNOVA, A. V., see DOGADKIN, B. A., (3) 626
 INNES, J. J., The federal role in tire safety (Abstract), (5) 1374
 IRWIN, K. C., see MAYO, F. R., (2) 271, 289
 IZOD, D. A. W., AND G. D. SKAM, Polymers and their properties in the injection molding process. (Abstract), (5) 1399
 JACOBS, H. L., see BARANWAL, K., (5) 1392
 JENKINS, L. T., see SLADE, P. E., (2) 421
 JERNEJCIC, M., AND L. PREMUR, Pyrolysis gas chromatography of natural rubber and synthetic polyisoprene, (2) 411
 JOHNSON, C. O., AND K. G. HORNUNG, Reliability predictions for V-belts (Abstract), (3) 754
 JORGENSEN, A. H., AND D. G. FRAZER, Effects of variations in the individual polymers in NBR-PVC blends (Abstract), (3) 769
 JUDY, W. A., see CALDERON, N., (3) 759
 KANAVAL, G. A., R. E. LAUER, AND A. F. SANTANIELLO, A new millable polyester urethan with improved water resistance (Abstract), (3) 763
 KARMANOVA, A. I., see EVSTRATOV, V. F., (3) 585
 KAUFMAN, M. H., AND J. GONZALES, Reinforcement of fluor elastomers with halopolymers, (2) 527
 KELLY, J. D., JR., Advances in bias tires—tire shapes (Abstract), (4) 1087
 KERCHAS, YU. YU., see LIPATOV, YU. S., (3) 537
 KILLIAN, A. S., see WOLFE, JAMES R., (5) 1329
 KIMMEL, J. E., see O'NEIL, K. B., (4) 1042
 KOCHMIT, C. J., Changing trends in tread type carbon blacks (Abstract), (4) 1105
 KOVAC, F. J., K. B. O'NEIL, AND P. E. HELMS, Bias belted tires, principle and materials of construction (Abstract), (4) 1089
 KOVACS, A. J., Applicability of free volume concept of relaxation phenomena in the glass transition range, (3) 555
 KOZLOV, V. T., Effect of temperature on decay of radicals formed during radiolysis of solid rubbers, (3) 678
 KRAUS, GERARD, AND J. T. GRUVER, Molecular weight effects in adsorption of rubbers on carbon black, (5) 1256
 KULENEV, V. N., see DOGADKIN, B. A., (3) 626
 KUMMER, H. W., Lubricated friction of rubber, Discussion, (4) 895.
 KUZMINSKII, A. S., see KVASHENKO, YU. YU., (3) 653
 KVASHENKO, YU. YU., A. S. KUZMINSKII, AND T. S. FEDOSEEVA, Effect of sulfur crosslinks on radical recombination in irradiated elastomers, (3) 653
 LANGTON, N. H., Radiofrequency heating of rubber and carbon black mixes, (5) 1219
 LARSON, D. B., see MOORE, D. F., (4) 943
 LAUER, R. E., see KANAVAL, G. A., (3) 763
 LEO, T. J., see HOPKINS, P., (3) 753
 LINNIG, F. J., see STIEHLER, R. D., (3) 772
 LIPATNIKOV, N. A., see LIPATOV, YU. S., (3) 537
 LIPATOV, YU. S., YU. YU. KERCHAS, V. G. SINYAVSKII, AND N. A. LIPATNIKOV, Glass transition of crosslinked polyurethan elastomers and initial components, (3) 537
 LISTER, R. D., see HORNE, W. B., (4) 807

- LLOYD, DEWIT G., Developments in accelerator systems for the injection molding of rubber (Abstract), (5) 1397
- LOTHROP, E. W., JR., Impact resistance of automobile tires, (4) 1051
- LUDEMA, K. C., AND D. TABOR, Friction and viscoelastic properties of polymeric solids, (2) 462
- LUNDSTROM, H. S., see HORVATH, J. W., (3) 770
- LYON, F., see MICEK, E., (3) 753, (5) 1271
- MCCABE, C. C., see ARNOLD, R. G., (4) 1097
- MCGUCHAN, R., AND I. C. McNEILL, Radiochemical determination of low unsaturations in polyisobutene, (2) 400
- MACKNIGHT, W. J., see PORTER, R. S., (1) 1
- McNEILL, I. C., see MCGUCHAN, R., (2) 400
- MAESELE, A., AND E. DUBRUYN, Problems concerned with adhesion of steel wire and steel cord in rubber (Abstract), (5) 1374
- MARCHAL, J., see VACHEROT, M., (2) 418
- MAREK, T. Z., see HORNE, W. B., (4) 807
- MARK, J. E., AND P. J. FLORY, Stress-strain isotherms for poly (dimethyl siloxane) networks, (5) 1140
- MARSH, P. A., A. VOET, L. D. PRICE, AND T. J. MULLEN, Fundamentals of electron microscopy of heterogeneous elastomer blends. II, (2) 344
- MARTIN, R. A., see PETERSEN, K. C., (5) 1394
- MAY, W. R., L. BSHARAH, AND D. B. MERRIFIELD, The evaluation of antioxidant activity in rubber by differential thermal analysis (Abstract), (5) 1392
- MAYCOCK, G., Skid resistance of passenger car tires on wet surfaces, (4) 780
- , see GROSCH, K. A., (2) 477
- , see HORNE, W. B., (4) 807
- MAYO, F. R., K. EGGER, AND K. C. IRWIN, Accelerated oxidations of polyisoprene. I. Metal-catalyzed oxidations in solution, (2) 271
- , J. HELLER, R. L. WALBATH, AND K. C. IRWIN, Accelerated oxidations of polyisoprene. II. Effects of hydrazines, sulfur compounds, and phenyl- β -naphthylamine in solution, (2) 289
- MEDALIA, A. I., see RIVIN, D., (2) 330
- MERRIFIELD, D. BRUCE, see MAY, WALTER R., (5) 1392
- MICEK, E., F. LYON, AND W. M. HESS, SBR/BR tread performance as a function of carbon black properties (Abstract and full paper), (3) 753, (5) 1271
- MILLER, R. F., see TRIVISONNO, N. M., (4) 953
- MITTON, PHILIP, see GATZA, P. E., (3) 767
- MOORE, D. F., see HORNE, W. B., (4) 807
- , AND D. B. LARSON, Method of determining damping and elastic properties of rubber used in tires, (4) 983
- MORITA, E., J. J. D'AMICO, AND E. J. YOUNG, Rubber chemicals from cyclic amines. II. Dithioamines and sulfenamides as accelerators and curing agents, (3) 721
- , Rubber chemicals from cyclic amines. III. Iminoacarbodithioates as accelerators and curing agents, (3) 736
- MORITA, E., see D'AMICO, J. J., (3) 704
- MORTON, M., AND J. C. HEALY, Polymeric fillers as model for the reinforcement of elastomers (Abstract), (3) 773
- MUELLER, W. J., see STICKNEY, P. B., (5) 1393
- MULLEN, T. J., see MARSH, P. A., (2) 344
- MURRAY, KERMAN, Adhesives for high temperature tire cord (Abstract), (5) 1394
- NATOV, M. A., AND E. K. DEZHAGAROVA, Rheological properties of polymer mixtures, (5) 1348
- NATTA, G., M. PEGORARO, AND L. SZILAGYI, Thermodynamic examination of the polymorphic transition of *trans*-1,4-polybutadiene. I. Theoretical premises, (3) 576
- , Thermodynamic examination of polymorphic transition of *trans*-1,4-polybutadiene. II. Experimental, (3) 586
- NIKITIN, YU. N., V. G. EPSHTEIN, AND M. A. POLYAK, Infrared spectra of reaction products of natural rubber with alkylphenol formaldehyde resins, (3) 621
- OBERSTER, A. E., W. S. COOK, AND G. E. P. SMITH, JR., New nondiscoloring stabilizer system for SBR and stereospecific diene polymers, (3) 255
- OFSTEAD, E. A., see CALDERON, N., (3) 759
- O'MEARA, A. L., see ASTI, F. J., (5) 1381
- O'NEIL, K. B., M. F. DAGUE, AND J. E. KIMMEL, High speed tensile testing of tire textiles, (4) 1042
- , see KOVAC, F. J., (4) 1089
- PARKS, E. J., see STEHLER, R. D., (3) 772
- PAYNE, A. R., Dynamic properties of PBNA-natural rubber vulcanizates, (5) 1203
- , see GROSCH, K. A., (5) 1157
- PEARSON, D., see CLAXTON, W. E., (1) 86
- PEARSON, J. R. A., Applications of rheology to rubber processing (Review), (1) 23
- PEGORARO, M., see NATTA, G., (3) 576, 586
- PERCARPIO, E. F., AND E. M. BEVILACQUA, Lubricated friction of rubber. II. Interaction of rubber and sliding surfaces, (4) 843
- , Lubricated friction of rubber. III. Components of friction in mating surfaces, (4) 854
- , Lubricated friction of rubber. IV. Characteristics of roads, (4) 862
- , Lubricated friction of rubber. V. Influence of rubber resilience and hardness on friction, (4) 870
- , Lubricated friction of rubber. VI. Portable rebound tester, with particular application to wet skid resistance of tires, (4) 881
- PERCARPIO, E. P., see BEVILACQUA, E. M., (4) 832, 890
- PETERSEN, K. C., AND R. A. MARTIN, Tack and adhesion of uncured elastomers (Abstract), (5) 1394
- PITRMA, A., see BHAKUNI, R. S., (3) 768
- POLLEY, H. W., see HALPIN, J. C., (5) 1168
- POLYAK, M. A., see NIKITIN, YU. N., (3) 621

- POLYAKOVA, G. R., AND N. A. PRAVIKOVA, Rapid method for studying molecular weight distribution of isoprene polymers, (3) 700
- PORTER, R. S., Characterization of ethylene propylene block copolymers by proton magnetic resonance, (2) 426
- , and W. J. MACKNIGHT, Viscous and elastic behavior attributed to polymer entanglements (Review), (1) 1
- PRAVIKOVA, N. A., see POLYAKOVA, G. R., (3) 700
- PREMRU, L., see JERNEJCIC, M., (2) 411
- PRICE, L. D., see MARSH, P. A., (2) 344
- PUETT, D., Thermoelasticity and the temperature coefficient of unperturbed polymer dimensions, (3) 569
- PUGH, T. L., see WOLFE, J. R., (5) 1329
- FURDON, J. R., see HORVATH, J. W., (3) 770
- QUINT, J. M., AND N. H. SHERWOOD, The technology and applications of nitrile modified polyvinyl chloride (Abstract), (3) 769
- RAEVSKII, V. G., S. M. YAGNYATINSKAYA, S. N. EPISHEVA, AND S. S. VOYUTSKII, Reinforcement of polymers. I. Tear resistance of filled mixes and adhesion of elastomer to filler as a function of duration and temperature of elastomer and filler contact, (3) 601
- , see YAGNYATINSKAYA, S. M., (5) 1244
- RAND, P. B., see SEELEY, R. D., (2) 432
- RAY, L. N., JR., see HASSAN, A. M., (5) 1388
- REMPP, P., AND H. BENOIT, Determination of copolymer molecular weight (Review), (1) 245
- REZNIKOVSKII, M. M., see DOZORTSEV, M. S., (5) 1371
- RIGBI, Z., Effect of a dispersion of gelled polymer particles on viscoelastic properties of a linear polymer (Abstract), (5) 1132
- , AND B. B. BOONSTRA, The restraining effect of fillers on swelling (Abstract), (3) 752
- RIST, C. E., see BUCHANAN, R. A., (3) 764, (5) 1380
- RIVIN, D., J. ARON, AND A. I. MEDALLA, Bonding of rubber to carbon black by sulfur vulcanization, (2) 330
- ROQUEMORE, K. G., see ASAM, E. H., (3) 756
- ROSEN, STEPHEN L., Some rheological properties of a linear gel polymer system (Abstract), (3) 771
- ROSS, E. F., see HENDERSON, E. W., (5) 1387
- RUSSELL, C. R., see BUCHANAN, R. A., (3) 764, (5) 1380
- RUSSELL, D. B., J. R. CREASEY, AND M. P. WAGNER, Role of silicas and silicates in rubber adhesion, (5) 1300
- RYE, G. W., R. S. BHAKUNI, AND D. M. CALLAHAN, Polyester adhesive systems (Abstract), (4) 1103
- , see BHAKUNI, R. S., (3) 768
- SAKHUOVSKII, N. L., see EVSTRATOV, V. F., (3) 685
- SALOMON, G., AND F. VAN BLOOS, Correlations between structure of elastomers and the mechanism of their degradation by ozone, (3) 643
- SANTANIELLO, A. F., see KANAVAL, G. A., (3) 763
- SAPRONOV, V. A., see DOZORTSEV, M. S., (5) 1371
- SARBACH, D. V., R. W. HALLMAN, AND M. A. CAVICCHIA, Evaluation of heavy duty tire treads based on blends of natural rubber and high mooney, oil extended *cis*-polybutadiene (Abstract), (3) 766
- SAREDI, A., see FIORENZA, A., (3) 630
- SAVKOOR, A. R., Aspects of friction and wear of tires arising from deformation, slip, and stresses at ground contact, (2) 452
- SCHLEUTER, T. A., Using computers as a compounding tool (Abstract), (4) 1095
- SCHROEDER, H. A., Principal representatives of carboranesiloxane (Dexsil) polymers and their properties (Abstract), (5) 1378
- SEELEY, R. D., Thermodynamic properties and polymer solvent interaction parameters for silicone rubber networks, (3) 608
- , AND P. B. RAND, Method for structural characterization of high polymeric networks by an osmotic pressure technique, (2) 432
- SHAW, FRED D., JR., Fast curing EPDM polymers (Abstract), (5) 1385
- SHCHEGOLEVSKAYA, N., see SHEYANOVA, A. I., (3) 533
- SHEDDEN, J. A., see BROWN, W. J., (3) 758
- SHERWOOD, N. H., see QUINT, J. M., (3) 769
- SHEYANOVA, A. I., S. I. SOKOLOV, AND N. SHCHEGOLEVSKAYA, Freezing and relaxation of elasto-optical effects in polymers, (3) 533
- SHILLING, B., see HORNE, W. B., (4) 807
- SHORT, J. N., see URANECK, C. A., (5) 1375
- SINCLAIR, E. A., AND K. E. BRISTOL, Recent developments in rubber for asphalt and tar (Abstract), (3) 766
- SINGH, A., AND L. WEISSBEIN, Chemical stress relaxation of polyacrylate elastomers, (3) 692
- SINYAVSKII, V. G., see LIPATOV, YU. S., (3) 537
- SJOTRUM, I. J., Advances in tire technology—introduction to symposium, (4) 1072
- SKAM, G. D., see LUD, D. A. W., (5) 1399
- SLADE, P. E., JR., AND L. T. JENKINS, Thermal analysis of polyurethane elastomers, (2) 421
- SMIT, P. P. A., Glass transition in carbon black reinforced rubber, (5) 1194
- SMITH, G. E. F., JR., see OBERSTER, A. E., (2) 255
- SMITH, T. L., Large deformation tensile properties of elastomers. I. Temperature dependence of C_1 and C_2 in the Mooney-Rivlin equation, (5) 1231
- SNOW, C. W., Carbon black physico-chemical properties and treadwear (Abstract), (5) 1386
- SOKOLOV, S. I., see SHEYANOVA, A. I., (3) 533
- SPAIN, G. E., JR., Prediction of the reliability of conveyor belting (Abstract), (3) 755
- SPEERBERG, L. R., Tire durability with nitrogen inflation, (4) 1065
- STANDEN, J., see BARRIE, J. A., (5) 1148
- STAVERMAN, A. J., Thermodynamic aspects of the glass-rubber transition, (3) 544
- STICKNEY, P. B., AND W. J. MUELLER, Influence of carbon black on swelling rate of polymer in filled vulcanizates (Abstract), (5) 1393

- STIEHLER, R. D., E. J. PARKS, AND F. J. LINNIG, Stiffening of elastomers by organic fillers (Abstract), (3) 772
- STOTZ, M. W., see GATZA, P. E., (3) 767
- STUDEBAKER, M. L., Survey of treadwear, groove cracking, and carbon black properties, (2) 373
- , AND J. R. BEATTY, Studies in the hardening of SBR on aging (Abstract), (5) 1383
- SZALGYI, L., see NATTA, G., (3) 576, 586
- TABOR, D., see HORNE, W. B., (4) 807
- , see LUDUMA, K. C., (2) 462
- TILTON, J. M., Compounding for the radial tire (Abstract), (4) 1092
- TORNER, R. V., AND L. S. GUDKOVA, Theory of processing, (5) 1354
- TREIDA, G. F., Rubber injection molding economics (Abstract), (5) 1396
- TRIVISONNO, N. M., J. R. BEATTY, AND K. F. MILLER, Origin of tire squeal. II. Tire squeal calculation from materials properties, (4) 953
- TUCKER, H. A., The vulcanizate properties of copolymers of epichlorohydrin and ethylene oxide (Abstract), (5) 1377
- TUNO, A., see AVELLA, E. R., (3) 765
- URANECK, C. A., AND J. N. SHORT, Solution polymerized rubbers with superior breakdown properties (Abstract), (5) 1375
- VACHEROT, M., AND J. MARCHAL, Determination of 1,4 and 3,4 addition in polyisoprenes by rapid pyrolysis and vapor phase chromatography, (2) 418
- VAN BLOOIS, F., see SALOMON, G., (3) 643
- VANCE, R. M., AND K. A. BURGESS, Laboratory tire groove cracking test, (4) 1080
- VANDERHOFF, J. W., see BRADFORD, E. B., (2) 514
- VANZO, E., Lower critical solution temperature of polybutadiene solutions, (5) 1285
- VERBAAC, J. J., see ARNOLD, R. G., (4) 1097
- VICKROY, V. V., see GENT, A. N., (5) 1182
- VOET, A., AND F. R. COOK, Investigation of carbon chains in rubber vulcanizates by means of dynamic electrical conductivity, (5) 1207
- , AND F. R. COOK, Analysis of contributions to dynamic mechanical properties of carbon filled vulcanizates, (5) 1215
- , see MARSH, P. A., (2) 344
- VOYUTSKII, S. S., see RAEVSKII, V. G., (3) 601
- , see YAGNYATINSKAYA, S. M., (5) 1244
- WAGNER, M. P., see CREASEY, J., (5) 1388
- , see RUSSELL, D. B., (5) 1300
- WALKER, J., Injection molding—Present and future (Abstract), (5) 1395
- WALKER, J. C., see ALLBERT, B. J., (4) 753
- , see HORNE, W. B., (4) 807
- WALRATH, R. L., see MAYO, F. R., (2) 289
- WEISLOGEL, O. E., see BUCHANAN, R. A., (3) 764
- WEISSBEIN, L., see SINGH, A., (3) 692
- , see WILLIAMS, B. L., (3) 757
- WEISSEK, F. C., J. N. ANDERSON, W. W. BARBIN, AND J. R. FRAZIER, Thermal analysis of elastomeric compounds (Abstract), (5) 1390
- WESTLINNING, H., Reinforcement and abrasion, (4) 1033
- , AND S. WOLFF, Considerations on structure of natural rubber vulcanizates, (3) 659
- WHATE, I. M., see BROWN, W. J., (3) 758
- WHITTINGTON, L. E., see DEVINEY, M. L., (2) 382
- WILLIAMS, B. L., AND L. WEISSBEIN, Torsional braid analysis of antioxidant activity in elastomer systems. I. Initial studies (Abstract), (3) 757
- WILSON, W. A., see HORVATH, J. W., (3) 770
- WILSON-JONES, R. A., see HORNE, W. B., (4) 807
- WOLF, K. F., Paul J. Flory—Charles Goodyear medalist—1968, (4) G49
- WOLFE, J. R., JR., The chemistry of sulfur curing. I. The kinetics of vulcanization of an EPDM elastomer accelerated by zinc dimethyldithiocarbamate (Abstract), (3) 760
- , The chemistry of sulfur curing. IV. Effects of organic accelerators on the reaction of cyclohexene with sulfur, (5) 1339
- , T. L. PUGH, AND A. S. KILLIAN, The chemistry of sulfur curing. III. Effects of zinc oxide on the mechanism of the reaction of cyclohexene with sulfur, (5) 1329
- WOLFF, S., see WESTLINNING, H., (3) 659
- WOOD, L. A., AND N. BEKKEDAHL, Specific heat of natural rubber and other elastomers above the glass transition temperature, (3) 564
- YAGNYATINSKAYA, S. M., V. G. RAEVSKII, L. S. FRUMKIN, AND S. S. VOYUTSKII, Reinforcement of polymers. II. Effect of vulcanization on tear strength of filler rubber mixes and on elastomer-to-filler adhesion, (5) 1244
- YAGNYATINSKAYA, S. M., see RAEVSKII, V. G., (3) 601
- YOSHIMIYA, N., see FUJIMOTO, K., (3) 669
- YOSHIMURA, N., see FUJIMOTO, K., (5) 1109
- YOUNG, D. G., AND S. J. GOODSTEIN, The effects of inner tube splicing process variables on uncured and cured splice strength (Abstract), (5) 1395
- YOUNG, E. J., see D'AMICO, J. J., (3) 704
- , see MORITA, E., (3) 721, 736
- ZELINSKI, R., AND C. W. CHILDERS, Linear elastomeric block polymers (Review), (1) 161

SUBJECT INDEX

- Abstracts, papers presented at Division of Rubber Chemistry meetings, (3) 752; (4) 1087; (5) 1374
- Abrasion, see also Testing methods, Tires, Tread-wear
of rubber, (1) 209
effect of crosslink density, (4) 1033
effect of fatigue, (4) 1022
in nitrogen, (1) 209
effect of oxidation, (4) 1022
effect of severity, (4) 1022
effect of temperature, (1) 209
and reinforcement, (4) 1033
tests, with paper tape, (4) 1022
- Accelerated oxidation, (2) 289, 296
metal catalyzed, (2) 271
- Accelerators, dithioamines, (3) 721
identification of, (3) 630
iminocarbodithioates, (3) 736
- Adhesion, and filler reinforcement, (3) 601
rubber-filler, (3) 601; (5) 1244
rubber, role of silica and silicates, (5) 1300
rubber-rubber, effect of diffusion of curatives, (5) 1312
- Adhesives, polysulfide elastomer, (1) 114
Adsorption of rubber on carbon black, (5) 1256
- Aging, see also Antioxidants, Antiozonants, Oxidation, Stress relaxation
of SBR, hardening, (5) 1383
- Agricultural tires, (3) 756
- Alkylphenol formaldehyde resins, in rubber vulcanization, (3) 621
- Alliger, Glen, biographical sketch, (1) iv
- Analogue computers, in elastomer research, (1) 86
- Analysis, see also specific materials being analyzed for, e.g., Accelerators, Antioxidants, specific rubbers, etc., and specific analyses, e.g., Chromatography, Differential thermal analysis, Infrared
and identification of compounding ingredients by column chromatography, (3) 630
- Anionic polymerization of block polymers, (1) 161
- Antioxidants, activity of, by torsional braid analysis, (3) 757
identification of, (3) 630
nondiscoloring, (2) 255
- Apparatus, osmotic pressure of polymer solutions, (2) 432
rebound tester, portable (4) 854, 862, 890
for testing skid resistance of tires, (2) 477
for testing friction of rubber, (2) 462
- Balata, vapor phase chromatography, (2) 418
- Balloon tires, history, (4) G52
- Beuche-Halpin theory of fracture, (5) 1168
- Biographical sketch, Glen Alliger, (1) iv
- Birefringence, amorphous polyethylene, (5) 1182
effect of temperature on, (3) 533
- Blends, of *cis*-BR and natural rubber, (3) 669, 766
of *cis*-BR and SBR, (3) 669; (5) 1109
of nitrile rubber and PVC, (3) 769, 770
of polymers, (2) 495
of polymers, dielectric loss, (3) 669
of polymers, rheology of, (5) 1348
of rubbers, electron microscopy, (2) 344
phase microscopy, (2) 344
- Block polymers, characterization of, (2) 426
ethylene and propylene, (2) 426
incompatibility in, (2) 495
linear elastomeric (Review), (1) 161
nomenclature, (1) 161
- Book reviews, Abrasion of Rubber, (4) G34
Auxiliary Substances for Polymeric Materials, (1) xxi
- Encyclopedia of Polymer Science and Technology, (3) G23
Macromolecular Reviews, Vol. II, (3) G23
Physical Constants of Linear Homopolymers, (5) G68
Strength and Failure of Viscoelastic Materials, (5) G69
Testing of Polymers, Vol. 3, (3) G22
- Bound rubber, effect of mixing conditions, (5) 1256
effect of molecular weight on, (5) 1256
- Branched polymers, light scattering of, (2) 437
structure of, (2) 437
- Breakdown, electrical, of rubber-carbon black vulcanizates, (5) 1210
- Breaker belts, for tires, stiffness of, (4) 988
- Butadiene styrene block polymers, (1) 161
- Butyl rubber, abrasion of, (1) 209
dynamic rheological properties, (3) 758
ozone cracking, (5) 1294
stress-strain studies, (5) 1231
in tread stocks, (4) 943
unsaturation in, (2) 400
- Calendar of Technical Meetings, (1) xiv; (4) G34
Calenders, theory of, (5) 1354
- Carbon black, adsorption of rubber on, (5) 1256
bonding to rubber during vulcanization, (2) 330
chain structure, (2) 356; (5) 1207
classification of, (5) 1271
dispersion, effect on radio frequency heating, (5) 1219
distribution in blends of rubbers, (2) 344
effect on aging of natural rubber, (1) 182
effect of glass transition of rubber, (5) 1194
effect of heat treatment on structure of, (2) 356
effect on tread wear, (5) 1271
functional groups on surface of, (2) 382
low structure, low pH, (5) 1387
micro structure, (2) 356
properties and groove cracking, (2) 373
properties and tread wear, (2) 373; (5) 1386
random distribution of, (5) 1219
structure, effect on dynamic mechanical properties, (5) 1215
effect on electrical conductivity, (5) 1207
surface activity, (2) 356, 382
for tire treads, (4) 1105
- Carborane siloxane polymers, (5) 1378
- Carcass, state of cure, in tires, (5) 1371
- Cationic polymerization, mechanism of chain termination, (2) 400
- Chemical promotion, effects of, (5) 1215
- Chemisorption on carbon black surfaces, (2) 382
as factor in filler reinforcement, (2) 330
- Chloroprene rubber, expandable, (3) 765
- Chromatography, column, (3) 630
for separating linear and branched polymers, (3) 626
thin layer, in identifying rubbers, (3) 638
- Classification of tread grade carbon blacks, (5) 1271
- Cobalt salts, catalysts for oxidation of polyisoprene, (2) 271
- Compatibility of polymers, (2) 495
- Compounding ingredients, identification of, (3) 630
- Computers, in elastomer research (Review), (1) 86
in rubber compounding, (3) 756; (4) 1095
- Conductivity, electrical, see also Electrical Conductivity, (5) 1207
- Conveyor belting, reliability of, (3) 755
- Copolymer molecular weight, determination of (Review), (1) 245
- Cornering of tires, (4) 988

- Critical solution temperatures, (5) 1285
 Crosslink density, measurement of by osmotic pressure, (2) 432
 Cumyl peroxide cured EPR, properties of, (2) 304
 Cyanacryl, stress relaxation of, (3) 692
 Cyclohexene, as model for rubber vulcanization studies, (5) 1329, 1339
 reaction of with sulfur, effect of zinc oxide and accelerators, (5) 1329, 1339
- Decay of radicals, effect of temperature, (3) 678
 Degradation, see Aging, Oxidation, Ozone
 Dextrin, (5) 1378
 Diazadispiropentadecane thione, (2) 255
 Dielectric loss, of blends of BR and SBR, (5) 1109
 of blends of polymers, (3) 669
 Dielectric properties, compared with viscoelastic properties, (5) 1249
 Diene polymers, NMR studies, (1) 47
 Differential thermal analyses, (3) 537; (5) 1392
 of blends of polymers, (2) 344, 495
 of urethan elastomers, (2) 421
 Diffusion, of accelerators, in rubbers, (5) 1312
 of curatives, effect on adhesion, (5) 1312
 effect of temperature, (5) 1312
 of sulfur, in rubbers, (5) 1312
 Digital computers, in elastomer research, (1) 86
 Dimension of polymers, determination, (3) 569
 Dispersions, polysulfide elastomers, (1) 114
 Dithioamines, from cyclic amines, as accelerators, (3) 721
 Dithiocarbamate, as accelerators in sulfur vulcanization of EPT, (2) 316
 as antioxidants in peroxide cured EPR, (2) 304
 preparation of, from cyclic amines, (3) 704
 Dithiomines, preparation of, from cyclic amines, (3) 704
 Division of Rubber Chemistry, Committees, (1) v;
 (2) G2
 future meetings, (1) xiii; (2) G6; (5) G64
 future symposia, (1) xiii; (2) G7; (5) G64
 Library Information Service, (3) G17; (4) G25; (5) G63
 notes on Fall 1968 meeting, (5) G66
 notes from Spring 1968 meeting, (3) G10
 officers and executive committee, (2) G1; (3) G17; (4) G25; (5) G63
 program for Fall meeting 1968, (4) G38
 program for Spring meeting 1968, (2) G7
 report of past chairman, D. F. Behney, (2) G2
 Dynamic mechanical properties, of blends of polymers, (3) 669; (5) 1109
 carbon black vulcanizates, (5) 1215
 Dynamic properties, of blends, (2) 495
 carbon black reinforced rubber, (5) 1194
 of rubber, (5) 1203
- Editor's notes, (5) G71
 Ehrenfest's second order transition, (3) 544
 Elastic behavior, amorphous polyethylene, (5) 1182
 Elasticity theory, indentation of rubber, (5) 1122
 Elastomer solution NMR, (1) 47
 Elastomeric block polymers, preparation of, (1) 161
 properties, (1) 161
 Elasto-optical effects in polymers, (3) 533
 Electrical conductivity, of carbon black vulcanizates, (5) 1207
 dynamic, (5) 1207
 Electron microscopy, of blends of rubbers, (2) 344
 of carbon black, (2) 356
 Entanglements, effect on viscoelastic behavior of polymers, (1) 1
 in polymers (Review), (1) 1
 techniques of measurement, (1) 1
 EPDM, see Ethylene propylene terpolymer
 Epichlorohydrin rubbers, (5) 1377
 Epoxy resin, polysulfide elastomer cocures, (1) 114
 EPR, see Ethylene propylene rubber
 EPT, see Ethylene propylene terpolymer
 Ethylene propylene, block polymers, structure of, (2) 426
 hexadiene terpolymer, vulcanization of, (2) 316
 in tires, (4) 1097
 rubbers, characterization of networks, (5) 1388
 peroxide vulcanizates, effect of sulfur on stability, (2) 304
 stability of, (2) 304
 tensile strength, (2) 304
 thermoelasticity of, (5) 1148
 terpolymers, chemistry of dithiocarbamate accelerated vulcanization, (3) 760
 fast curing, (3) 1385
 kinetics of thiuram accelerated vulcanization, (3) 761
 sulfur vulcanization of, (2) 316
 in tires, (4) 1097
 Experimental design, (1) 86
 Extruders, design of, (5) 1354
 flow through, (1) 23
 Extrusion, of polymers, theory of, (5) 1354
 of rubber, (1) 23
 swelling, control of, (5) 1132
- Filler reinforcement, see also Reinforcement
 Filler reinforcement, (2) 382
 and abrasion, (4) 1033
 chemisorption in, (2) 330
 effect of vulcanization, (2) 330
 filler-rubber bonding during vulcanization, 2 (330)
 mechanism of, (2) 330
 of polysulfide elastomers, (1) 114
 studies with model olefins, (2) 330
 theory, (5) 1203
 Filler-rubber adhesion, effect of vulcanization, (5) 1244
 interaction, (3) 659
 Fillers, see Carbon black, Reinforcement, Silica
 Films, formation from latex, (2) 514
 Flory, Paul J.—Charles Goodyear Medalist (4) G49
 Fluoroelastomers, reinforcement of with halo-polymers, (2) 527
 Fracture, theory of, (5) 1168
 Friction see also Lubricated friction, Skid resistance, Test methods, Tires
 Friction, and hysteresis, (2) 452
 of polytetrafluorethylene, (2) 462
 of rubber, adhesion, (2) 452
 apparatus (2) 462
 effect of speed, (2) 462; (4) 753, 780, 908
 effect of temperature, (1) 209; (2) 462; (4) 908
 mechanism (2) 462
 rolling, (2) 462; (4) 908
 sliding, (2) 462; (4) 908
 test methods, (4) 753, 780, 854, 862, 890, 895, 908
 tire squeal, (4) 953
 on wet surfaces, (2) 477; (4) 753, 780, 832, 843, 854, 870, 881, 890, 895, 943
 theory, (1) 209
 of tires, role of tread patterns, (2) 452
 on wet surfaces, (2) 452
 and wear of rubber (Review), (1) 209
 Fractionation, of polymers, freezing of solutions, (5) 1288
 of rubbers by chromatography, (3) 626
 Fracture, of viscoelastic bodies, (5) 1168
 Freezing of solutions of isobutylene polymers, (5) 1288
 Fuel resistant elastomers, for low temperature service, (3) 767
- Gel particles, to improve processing, (5) 1132
 Gel permeation chromatography, (1) 245
 Gel and viscoelasticity, (5) 1132
 Glass transition, carbon black compounds, (5) 1194
 kinetic theory of, (3) 544
 in rubbers, (3) 535
 thermodynamic aspects, (3) 544
 of urethan elastomers, (3) 537
 Goodyear, Charles, Medalists, Paul J. Flory, (4) G49
 Gordon Research Conferences 1968, (2) G11

- Graft polymers, incompatibility in, (2) 495
 Graphon, in rubber, (5) 1207
 Groove cracking of tires, and carbon black properties, (2) 373
 laboratory test, (4) 1080
 Guide for Authors, (1) xviii
- Hardness, effect on tire squeal, (4) 953
 effect on wet friction of rubber, (4) 870
 elasticity theory of, (5) 1122
 as measure of state of cure, (5) 1371
 Heavy service treads, of blends of *cis*-BR and natural rubber, (3) 766
 High structure blacks, (5) 1215
 Hose, reliability of, (3) 753
 Hydrazines, as pro-oxidants of polyisoprene, (2) 289
 Hysteresis, and strength of polymers, (5) 1157
 in tire friction, (2) 452
- Identification, of compounding ingredients, (3) 630
 Imidazolidinethiones, as nondiscoloring stabilizers, (2) 255
 Iminocarbodiimides, from cyclic amines, as accelerators and curing agents, (3) 736
 Impact resistance of tires, (4) 1051
 Indentation of rubber, elasticity theory, (5) 1122
 Index of refraction, of blends, (2) 495
 Information retrieval, in rubber science and technology, (1) 86
 Infrared, products of resin vulcanization, (3) 621
 Injection molding, (5) 1395, 1396, 1397, 1398, 1399
 Inner tubes, splicing of, (5) 1395
 Interaction parameters, of silicone rubber and solvents, (3) 608
 Irradiated elastomers, radical recombination on, (3) 653
 Isoprene styrene block polymers, (1) 161
- Kinetic studies, application of computers, (1) 86
- Large deformation, tensile properties, (5) 1231
 Latex films, morphology of, (2) 514
 Latex particles, coalescence of, (2) 514
 Light scattering, of branched polymers, (2) 437
 molecular weights, (1) 245
 Liquid rubbers, polysulfide elastomers, (1) 114
 Load deflection of tires, (4) 977
 Lubricated friction of rubber, (4) 753, 832, 843, 854, 870, 881, 890, 895
- Magnetic resonance relaxation, for measuring entanglements, (1) 1
 Mastication, effect on molecular weight, (5) 1392
 Mechanical work, from thermal energy, (3) 576, 586
 Methylene blue, as photosensitizer of oxidation, (2) 296
 Microgel, effect of removal of, (3) 626
 Microhardness, of carcass, (5) 1371
 Milling of rubber, (1) 23
 Mixing of polymers, theory, (5) 1354
 Mixing of rubbers, theory of (Review), (1) 23
 Mixtures, see Blends
 Molding of rubber, (1) 23
 Molecular weight, of copolymers, determination of (Review), (1) 245
 distribution, of polyisoprenes, (3) 700
 effect on adsorption of rubber on carbon black, (5) 1256
 Mooney-Rivlin equation, (5) 1231
 Morphology, latex films, (2) 514
- Natural rubber, abrasion of, (1) 209
 entanglements in, (1) 1
 fractionation of, (3) 626
 identification, (3) 638
 oxidation (Review), (1) 182
 pyrolysis gas chromatography, (2) 411
 resin vulcanization of, (3) 621
 specific heat of, (3) 564
 vapor phase chromatography, (2) 418
 viscoelastic and dielectric properties of, (5) 1249
 vulcanizates, structure, (3) 659
 wet skid resistance of, (4) 780
 Neoprene, latex foams, isocyanate modified, (5) 1381
 ozone cracking of, (3) 643
 Network structure, characterization by osmotic pressure, (2) 432
 New publications, (1) xxii; (2) G10; (3) G22; (4) G33; (5) G68
 Newtonian flow, for measuring entanglements, (1) 1
 Nitrile rubber, specific heat of, (3) 564
 Nitrogen inflation of tires, effect on durability, (4) 1065
 Nomenclature, linear block polymers, (1) 161
 Nondiscoloring stabilizers, for diene rubbers, (2) 255
 Non-Newtonian flow, for measuring entanglements, (1) 1
 Nuclear magnetic resonance spectroscopy, application to elastomers in solution (Review), (1) 47
 high resolution, (1) 47
- Oils, effects on block polymers, (1) 161
 Oil extended SBR, wet skid resistance of, (4) 780
 Oil extension, effect on wet skid resistance, (2) 477
 Organic fillers, stiffening of elastomers, (3) 772
 Organolithium compounds in polymerization, (1) 161
 Oscillating disk rheometer, in quality control, (3) 759
 Osmotic molecular weight, (1) 245
 Oxidation, accelerated, (2) 271, 289, 296, 300
 of natural rubber (Review), (1) 182
 photosensitized, (2) 296
 of polyisoprene, (2) 289, 296, 300
 of rubbers in solution, (2) 271, 289
 Oxidative scission reaction in natural rubber, (1) 182
 Oxygen absorption, (2) 296
 natural rubber, (1) 182
 Ozone, cracking of butyl, (5) 1294
 degradation and structure of elastomers, (3) 643
 effect of ozone concentration, (5) 1294
 effect of temperature on, (5) 1294
 mechanism, (3) 643
- Peroxide, cured EPR, stability of, (2) 304
 vulcanizates, aging of, (1) 182
 vulcanization of natural rubber, (3) 659
 Phase microscopy of blends of rubbers, (2) 344
 Phenyl- β -naphthylamine, as organic filler in rubber (3) 772
 in polyisoprene, (2) 289
 as rubber filler, (5) 1203
 Phosphite stabilizers for diene rubbers, (2) 255
 Photosensitized oxidation, (2) 296
 Plasticizers, identification of, (3) 630
 Polyacrylate elastomers, stress relaxation, (3) 692
 Polybutadiene, abrasion of, (1) 209
 blends with natural rubber, (3) 669
 blends with SBR, (3) 669; (5) 1109
 critical solution temperatures, (5) 1285
 solution properties of, (5) 1285
 specific heat of, (3) 564
 tire treads, abrasion resistance, (3) 685
 trans 1,4 fibers, (3) 576, 586
 trans-1,4 transitions, (3) 576, 586
 tread wear, (5) 1271
 Polychloroprene, in blends, with natural rubber, (2) 344
 Poly(dimethyl siloxane), stress-strain isotherms, (5) 1140
 thermoelasticity of, (5) 1148
 Polydispersity in copolymers, (1) 245
 Polyesters, NMR, (1) 47
 Polyester tire cord, adhesive systems, (4) 1103
 (abs.)
 Polyethylene, amorphous, (5) 1182
 crosslinked, (5) 1182
 entanglements in, (1) 1
 Polyisobutylene, entanglements in, (1) 1
 solutions, freezing of, (5) 1288

- specific heat of, (3) 564
unsaturation in, (2) 400
Polyisoprene, accelerated oxidation of, (2) 271, 289, 296, 300
identification, (3) 638
molecular weight distribution, (3) 700
pyrolysis gas chromatography, (2) 411
thermoelasticity of, (5) 1148
vapor phase chromatography, (2) 418
Polymeric fillers, as models for reinforcement of elastomers, (3) 773 (abs.)
Polymerization, anionic, of block polymers, (1) 161
of polystyrene in presence of carbon black, (2) 382
polysulfide elastomers, (1) 114
studies, application of computers, (1) 86
of unsaturated dicyclic compounds, (3) 759
Poly(methyl methacrylate), high resolution NMR, (1) 47
birefringence, (3) 533
Polysulfide elastomers, chemistry and technology (Review), (1) 114
compounding, (1) 114
properties of, (1) 114
Polystyrene, birefringence for, (3) 533
entanglements in, (1) 1
Polytetrafluoroethylene, as reinforcing filler for fluoroelastomers, (2) 527
Polyurethanes, crosslink density in, (2) 432
differential thermal analysis of, (2) 421
thermal properties of, (2) 421
thermogravimetric analysis of, (2) 421
Poly(vinyl chloride), nitrile rubber modified, (3) 769
Processability, and gelled particles, (5) 1132
Process control, (1) 86
Processing of polymers, theory, (5) 1354
Processing of rubber, rheology of (Review), (1) 23
Proof reading, (1) xxi
Proton magnetic resonance, for characterizing block polymers, (2) 426
Pyrolysis gas chromatography, (2) 411
Pyrolysis of polyisoprene, (2) 411
Radial ply tires, (4) 1092
history, (4) G52
load deflection of, (4) 977
Radical combination, in irradiated elastomers, (3) 653
Radical polymerization of block polymers, (1) 161
Radio frequency heating, (5) 1219
Radiochlorine, in determination of unsaturation, (2) 400
Radiolysis of rubber, decay of radicals, (3) 678
Radiotracer studies of carbon black, (2) 382
Rebound, see also Resilience
Rebound tester, portable, (4) 854, 862, 890
Reinforcement, of fluoroelastomers, with halopolymers, (2) 527
of polymers, (3) 601
of rubbers, (5) 1244
Relaxation, of birefringence, (3) 533
in rubber, free volume concept, (3) 535
Reliability of rubber products, (3) 753, 754, 755
Replacement treads, history, (4) G52
Resilience, effect on tire squeal, (4) 953
effect on wet friction of rubber, (4) 870, 881
Resin vulcanization, infrared spectra of products, (3) 621
of natural rubber, (3) 621
Rheological Index, (5) 1348
Rheological properties, (5) 1354
of linear gel polymer system, (3) 771
Rheology, application to rubber processing (Review), (1) 23
polymer blends, (5) 1348
Rheometers, (1) 23
Road surfaces, effects on skidding, (4) 753, 780
effect on tire friction, (2) 477
effect on wet friction of tires, (4) 862
Rubber in asphalt, (3) 766
Rubber elasticity, molecular theory, (5) 1140
molecular interpretation of, (4) G41
theory, (5) 1148
Rubber Groups, (5) G68
officers and meeting dates, (1) vii; (4) G28
secretaries, (2) G5; (3) G18
Rubber-rubber adhesion, (5) 1300
Rubber-sulfur composition, dielectric properties of, (5) 1249
Rupture energy of tires, (4) 1051
Second order transitions, in blends of polymers, (5) 1109
Ehrenfest, (3) 544
Silicas, effect on rubber adhesion, (5) 1300
structure and particle size, (5) 1388
Silicates, effect on rubber adhesion, (5) 1300
Silicone rubber, entanglements in, (1) 1
interaction parameters with solvents, (3) 608
stress-strain studies, (5) 1231
Skid resistance, see also Friction of Rubber
Skid resistance, (2) 477
of natural rubber, (4) 480
of rubber on wet surfaces, (2) 477, (4) 753
of tires, (4) 908
of tires and accidents, (4) 832, 895
of tires on wet surfaces, (4) 780
wet, effect of test conditions, (2) 477
of oil extended tread compounds, (2) 477
of natural rubber, (4) 480
Skid tester, portable, (4) 843, 854, 862, 895
Skid trailers, for measuring skid resistance of tires, (4) 895
Solprene 1204, breakdown of, (5) 1375
Solution rubbers, with superior breakdown properties, (5) 1375
Solution styrene butadiene rubber in tires, (5) 1376
Solutions, critical temperatures of, (5) 1285
entanglements of polymers, (1) 1
freezing, (5) 1288
of rubber, nuclear magnetic resonance, (1) 47
Solvent resistance, polysulfide elastomers, (1) 114
Specific heat, of elastomers, (3) 564
Stability of peroxide cured EPR, (2) 304
Stabilizers, nondiscoloring, (2) 255
Starch, in rubber, (5) 1380
as rubber filler, (3) 764
Statistical analysis, (1) 86
Steel wire, adhesion to rubber, (5) 1374
Stereoblock polymers, (1) 161
Stiffness, breaker belts for tires, (4) 988
Strength of polymers, effect of hysteresis, (5) 1157
Stress birefringence, (3) 533
Stress relaxation, intermittent, (3) 692
of natural rubber, (1) 182
of peroxide cured EPR, (2) 304
of polyacrylate elastomers, (3) 692
of polysulfide elastomers, (1) 114
Stress-strain properties, rate dependence, (5) 1231
temperature dependence, (5) 1231
Structure, of carbon black, (2) 356
of elastomers, and mechanism of ozone degradation, (3) 643
of natural rubber vulcanizates, (3) 659
of vulcanizates, (1) 182
Styrene butadiene rubber, abrasion of, (1) 209
blends with polybutadiene, (5) 1109
effect of styrene content in blends with BR, (5) 1109
fractionation of, (3) 626
latex films of, (2) 514
solution polymerized, (5) 1375, 1376
specific heat of, (3) 564
tread wear, (5) 1271
wet skid resistance of, (4) 780
Styrene copolymers, NMR, (1) 47
Styrene diene block polymers, (1) 161
Sulfenamides, from cyclic amines, as accelerators, (3) 721
Sulfonic acids, as pro-oxidants of polyisoprene, (2) 300
Sulfur crosslinks, effect on radical recombination, (3) 653
Sulfur solubility, as function of temperature, (5) 1312

- Sulfur vulcanization, chemistry of, (5) 1329, 1339
 cyclohexene as model for rubber, (5) 1329
 effect of zinc oxide, (5) 1329
 of EPT, accelerators for, (2) 316
 kinetics of, (3) 659
- Swelling, of crosslinked polyethylene, (5) 1182
 of rubber, effect of fillers, (3) 752
 of vulcanizates, effect of carbon black, (5) 1393
- Tack of uncured compounds, (5) 1394
- Tacticity, characterization by high resolution NMR, (1) 47
- Tear resistance, effect of fillers, (3) 601
- Tear strength, effect of vulcanization, (5) 1244
 and hysteresis, (5) 1157
- Tensile strength, and hysteresis, (5) 1157
- of peroxide cured EPR, effect of sulfur, (2) 304
- Test methods, abrasion resistance, (4) 1022, 1033
 dynamic mechanical properties of tread stocks, (4) 943
 friction of rubber, (4) 908
 friction of rubber on wet surfaces, (4) 753, 843, 854, 862, 895
 high speed tensile, (4) 1042
 tire groove cracking, (4) 1080
 tire squeal, (4) 953
- Tetramethylthiuram disulfide, effect on sulfur-cyclohexene reaction, (5) 1339
- Tetramethylthiuram monosulfide, effect on sulfur-cyclohexene reaction, (5) 1339
- Thermal analysis, (5) 1390
- Thermal degradation, of natural rubber, (2) 411
 of polyisoprenes, (3) 418
- Thermal stability, of polyacrylate elastomers, (3) 692
- Thermodynamic properties, silicone rubber and solvents, (3) 608
- Thermodynamics, of transitions in BR, (3) 576, 586
- Thermoelasticity, (5) 1148
 use of, to determine polymer dimensions, (3) 569
- Thermogravimetric analysis, of urethan elastomers, (2) 421
- Thermomechanical methods, (3) 537
- Thiazole thiols, preparation of, from cyclic amines, (3) 704
- Thiokols, see Polysulfide elastomers, (1) 114
- Thiols, as pro-oxidants, (2) 289
- Tire cord, adhesion, (5) 1394
 adhesion, effect of silicas and silicates, (5) 1300
 correlation with tire performance, (4) 1042
 high speed tensile properties, (4) 1042
 high temperature tensile, (4) 1042
 structural changes during processing, (3) 768
 testing of, (4) 1042
- Tires, agricultural, (3) 756
 balloon, history (4) G52
 bias angle, shapes of, (4) 1087
 bias belted, materials and construction, (4) 1089
 with breaker belts, (4) 988
 bruise failure, (4) 1042
 calculated load deflections, (4) 977
 carcass, state of cure, (5) 1371
 cornering of, (4) 988
 durability of with nitrogen inflation, (4) 1065
 EPT, (4) 1097
 friction, (2) 452
 hazard failures, demographic study, (4) 1074
 and precipitation, (4) 1074
 heavy service treads, (3) 766
 history, (4) G52
 impact resistance of, (4) 1051
 passenger car, friction of, (4) 780
 radial ply, compounds, (4) 1092
 rupture energy, (4) 1051
- safety, (5) 1374
- skid resistance on wet surfaces, (2) 477
- squeal of, origin of, (4) 953
 and properties of tire materials, (4) 953
- technology, symposium on, (4) 1072
- today and tomorrow, (5) 1374
- traction on wet surfaces, (4) 1100
- tread patterns, function of, (2) 452
- treads of solution SBR, (5) 1376
- tread wear, (1) 209; (2) 452
 blends of BR with natural rubber, (3) 685
 blends of BR with SBR, (3) 685
 and carbon black properties (2) 373; (3) 753
 effect of operating conditions, (3) 685
 function of carbon black properties, (5) 1271
- Traction, on wet surfaces, (4) 1100
- Transition metals, as pro-oxidants, (2) 271
- Transitions, in *trans*-1,4-polybutadiene, (3) 576, 586
- Translations, (4) G33
- Tread compounds, dynamic mechanical, properties of, (4) 943
 friction of, (4) 908
 high hysteresis, (2) 452
 and wet friction, (4) 870, 890
 wet skid resistance of, (2) 477
- Tread patterns, effect on skid resistance, (4) 753, 780
 role of in friction of tires, (2) 452
- Tread wear, and carbon black properties, (2) 373
 effect of service severity, (2) 373
 effect of tire breaker belt, (4) 988
 effect of tire operating conditions, (3) 685
 and friction, (2) 452
- Ultracentrifuge molecular weights, (1) 245
- Unsaturation in polyisobutene, (2) 400
- Urethan elastomers, glass transitions of, (3) 537
 millable polyester, (3) 763
 NMR, (1) 47
- Vapor phase chromatography, for determining structure of polyisoprenes, (2) 418
- V-belts, reliability of, (3) 754
- Vinyl polymers, high resolution NMR studies, (1) 47
- Viscoelastic fracture, (5) 1168
- Viscoelastic properties, compared with dielectric properties, (5) 1249
 and friction of rubber, (2) 462
- Viscoelasticity, and friction of rubber, (1) 209
 and gel, (5) 1132
 for measuring entanglements, (1) 1
- Viscosity molecular weights, (1) 245
- Viton A-HV, stress strain studies, (5) 1231
- Vulcanizate structure, effect on aging, (1) 182
- Vulcanization, see also Peroxide Vulcanization, Resin Vulcanization, Sulfur Vulcanization
 Vulcanization of ethylene propylene hexadiene terpolymer, (2) 316
 kinetics, EPT with sulfur and dithiocarbamates, (2) 316
 polysulfide elastomers, (1) 114
 sulfur, and filler reinforcement, (2) 330
- Wear and friction of rubber (Review), (1) 209
- Wet road friction, (4) 753
- Wire adhesion, effect of silicas and silicates, (5) 1300
- Zinc dimethyldithiocarbamate, effect on sulfur-cyclohexene reaction, (5) 1339
- Zinc oxide, effect on sulfur-cyclohexene reaction, (5) 1329
- Zone melting of frozen polymer solutions, (5) 1288

